

# CATIA V5 All Versions: Installation Guide

TITLE:	CATIA V5 Installation Guide
DATE:	January 2023
SUBJECT:	Installation and Licensing of CATIA V5
ABSTRACT:	Instructions on how to install and license CATIA V5



Before loading any software, you should always log in with full administrative permissions and disable your anti-virus, anti-spyware programs as well as User Account Control. Be sure your operating system has been updated with Windows Updates recently to avoid any compatibility issues with the installer.

This guide is specifically written for CATIA V5 the DS Server Administration software and setting up your 3DEXPERIENCE account. If you have a node-locked or DS-hosted license and require additional licensing assistance, please contact [Hawk Ridge Systems technical support](#).

All licenses and software download links are distributed by DS and specific to your account. Before proceeding forward verify you have received your CATIA V5 license(s) and have been provided with your account specific software download link. If you have not, please contact [Hawk Ridge Systems technical support](#).

This document is only to be distributed and used by Hawk Ridge Systems customers. Any other use is prohibited.

©2023 Hawk Ridge Systems

## Contents

CATIA V5 All Versions: Installation Guide.....	1
Before Installation.....	2
Create a 3DEXPERIENCE ID.....	3
Generate the Server Target ID.....	5
Instructions for generating a target ID.....	5
DS Software Download.....	7
DS License Server and License Administration Tool Installation.....	9
DS License Administration Tool Setup.....	16
CATIA V5 PLM Express Installation.....	22

## Before Installation

**Hawk Ridge Systems highly recommends taking a moment before installing CATIA V5 or DS License Server Administration and checking that you are ready to load your new software.**

1. Verify your hardware will run CATIA V5 by comparing it to the official [recommended systems list](#) for on premise installations.
2. Confirm that the hard drive has enough space to end up with at least 15% free space after the full installation has been completed so your new software will work as expected. CATIA V5 PLM requires about 11GB of storage space. Additional modules require additional space.
3. Login to your computer with full administrative rights.
4. Turn down the User Account Control setting (found in the Control Panel). To do this, press your Windows button, either on the screen or on the keyboard. Then type "UAC" followed by the enter key. The window that follows shows a vertical scroll bar. Make the setting "Never Notify" for the installation (requires restarting the computer to take effect) and change it back after installing if preferred.
5. Disable all anti-virus and anti-spyware tools.


## Create a 3DEXPERIENCE ID

**In order to connect to the 3DEXPERIENCE platform for software downloads and access your Training Space, a 3DEXPERIENCE ID is required.**


1. Connect to the 3ds.com website. This may be done by entering the following URL in your browser: <https://www.3ds.com/>  
Select the link on the upper right corner to sign in. It will be the "Profile" icon.



2. If you have not already done so, create your 3DEXPERIENCE ID.  
You may access it by selecting the "Create your 3DEXPERIENCE ID" option below the Log In button.



3. Fill in the form and all mandatory fields. Select "Register" when finished.



The registration form is presented in a dark blue frame. On the left side, there is a circular logo with a play button icon in the center, surrounded by the text '3D' on the left, 'i' on the right, and 'V+R' at the bottom. Below the logo, the text '3DEXPERIENCE' is displayed. On the right side, the registration form contains the following fields and options:

- Email: Text input field with a red asterisk indicating it is mandatory.
- Username: Text input field with a red asterisk indicating it is mandatory.
- First name: Text input field with a red asterisk indicating it is mandatory.
- Last name: Text input field with a red asterisk indicating it is mandatory.
- Password: Text input field with a red asterisk and an eye icon for visibility toggle.
- Confirm your password: Text input field with a red asterisk and an eye icon for visibility toggle.
- Country: Dropdown menu with the text 'Please select a country' and a red asterisk.
- I agree to the terms of the [Privacy Policy](#). \*
- I agree to receive newsletters by email from Dassault Systemes and its partners

At the bottom of the form is a blue 'Register' button and a 'Log in' link.

You will receive an automatic email with the confirmation of your 3DEXPERIENCE registration; your ID will be the same as the email address used to register.

# Generate the Server Target ID

**You will be identifying the Target ID of the computer that will host the CATIA License Server.**

First, decide what kind of license hosting you will need. CATIA can be installed as a Shared/Floating license that is licensed from a central server and used on multiple client computers, or as a Standalone locked to a particular computer. The price is the same for both options.

If in doubt, it is recommended to use the floating option as it will give you more flexibility. And if you don't have a server, the license manager can be installed on the primary user's computer.

NOTE: CATIA Licenses **cannot** be hosted on a virtual machine.

The Cloud Companion training material, if purchased, will be accessed from a browser, and will be tied to a particular email address. Select a suitable email address for this use.

Most importantly, we will need some information from the computer that will be hosting the CATIA license.


## Instructions for Generating a Target ID

Please follow these steps to generate a "target ID" and send that back to us.

1. Download the file from this link:


[Direct Link](#)

2. Create a folder named CATIA on the C drive. For example, C:\CATIA
3. The download is a zip file containing several versions of the required executable tool called DSLicTarget.exe. The correct version for your computer will need to be unzipped/extracted to an easy to find location. Unzip the download and place the executable in C:\CATIA.





4. Launch a command prompt by going to the start menu and typing "cmd". Right click "Command Prompt" and run as administrator.



5. Type the following and hit Enter (location of DSLicTarget.exe)  
**cd C:\CATIA**
6. Then type the following and hit Enter  
**DSLicTarget.exe -t**
7. Please send us the "target ID" listed on the screen, as shown.

```
Command Prompt
Microsoft Windows [Version 10.0.19041.867]
(c) 2020 Microsoft Corporation. All rights reserved.

C:\Users\scottw>cd c:\CATIA

c:\CATIA>DSLicTarget.exe -t
DSLicTarget (version 1.19)
Computer Id: ZRD-4200000A641BCC3E (based on: Intel(R) Ethernet Connection (5) I219-LM)


c:\CATIA>
```

# DS Software Download

The email that was used in the previous step for creating the 3DEXPERIENCE account will need to be registered with 3DS before your links will be available to you. This should have been done for you already but in case the downloads are not showing up contact [Hawk Ridge Systems technical support](#). If you recently purchased CATIA V5 you should have been sent an email with a unique download link direct to everything you need. However, CATIA V5, CATIA Documentation, and the DS License Server can all be downloaded from the [3DS Download](#) site. A 3DEXPERIENCE login is required.

The steps below will walk you through logging into the 3DS Download site and downloading of necessary files.

1. Log into the 3DS [Download site](#), or use the unique link sent to you upon purchase.
2. Click on "Access your Download".




[Direct Link](#)

3. Download the 3 following files.

Be sure to filter by **Release** and **Level** at the top of the page.

- **CATIA PLM Express Edition 3 Documentation**– this file will be about 1.1GB in size and should be named V5-6R20XX.DOC\_CATIA\_PLM\_Express.ALIOS.1-1.zip
- **CATIA PLM Express Edition 3 – (Part 1of2)**  
CATIA PLM install is split into two separate downloads. Each is about 2GB in size and named similar to V5-6R20XX.CATIA\_P1.win\_b64.1-2.zip
- **CATIA PLM Express Edition 3 – (Part 2of2)** This is the second half of the CATIA PLM installation and is named V5-6R20XX.CATIA\_P1.win\_b64.2-2.zip

NOTE: The easiest way to narrow down the CATIA Documentation download is to filter the results by **Language > English**



**V5 | CATIA V5, DELMIA V5, SIMULIA V5, ENOVIA V5**

Product line	Release	Level	Fixes for this level
V5	V5-6R2022	V5-6R2022 Golden	N/A

Log4j CVE-2021-44228 & CVE-2021-45046 Please read instructions for immediate remediation and emergency fixes [here](#)

	CATIA Documentation - V5-6R2022 Golden - English	1.4 GB	<a href="#">Show details</a>
	<b>CATIA PLM Express Edition 3 Documentation - V5-6R2022 Golden - English</b>	<b>1.1 GB</b>	<a href="#">Show details</a>

**Type**

- Program Directory
- Software
- Documentation 2

**Operating System**

- RDX64
- WIN64

**Language**

- English 2**



NOTE: To narrow down the CATIA installation files, deselect any filters selected from the previous note and filter by **Operating System > Win64**.

You will need to select the 1/2 and 2/2 downloads under the CATIA PLM Express.

Product line	Release	Level	Fixes for this level
V5	V5-6R2018	V5-6R2018 Golden	-

Product Name	Size	Download Progress	Action
CATIA P1 - V5-6R2018 Golden - WIN64	1.5 GB	1/1	Show details
CATIA P2 - V5-6R2018 Golden - WIN64	1.9 GB	1/2 2/2	Show details
CATIA P3 - V5-6R2018 Golden - WIN64	1.9 GB	1/2 2/2	Show details
<b>CATIA PLM Express Edition 3 - V5-6R2018 Golden - WIN64</b>	1.8 GB	1/2 2/2 <b>DOWNLOAD BOTH FILES 1/2 AND 2/2</b>	Show details
ENOVIA SmarTeam for CATIA PLM Express Edition 3 - V5-6R2018 Golden - WIN64	2.5 GB	1/1	Show details


Operating System	Count
WIN64	5

## DS License Server and License Administration Tool Installation

**The Dassault Systems License Server (DSLS) will need to be installed onto a computer that all clients can access through the network. The CATIA PLM license file will be installed on this computer and distributed as needed to all clients.**

To install the DSLS and Administration Tool follow the instructions below:

1. On the computer acting as the server, click on the [download link](#).
2. Click on "Access your Download."



3. Make sure that "3DEXPERIENCE and V6" is selected at the top of the page.



4. At the top of the page, filter **Release** by the "3DEXPERIENCE R20XXx" year version and set the **Level** to "3DEXPERIENCE R20XXx Golden."
5. Download the **Dassault Systèmes License Server (DSLS) - 3DEXPERIENCE R20XXx Golden – AIOS**

**3DEXPERIENCE®** | CREATING SUSTAINABLE INNOVATION


Product line	Release	Level	Fixes for this level
3DEXPERIENCE	3DEXPERIENCE R2023x	3DEXPERIENCE R2023x Golden	N/A


	<b>3DEXPERIENCE Platform</b> - 3DEXPERIENCE R2023x Golden - AIOS <a href="#">1/18</a> <a href="#">2/18</a> <a href="#">3/18</a> <a href="#">4/18</a> <a href="#">5/18</a> <a href="#">6/18</a> <a href="#">7/18</a> <a href="#">8/18</a> <a href="#">9/18</a> <a href="#">10/18</a> <a href="#">11/18</a> <a href="#">12/18</a> <a href="#">13/18</a> <a href="#">14/18</a> <a href="#">15/18</a> <a href="#">16/18</a> <a href="#">17/18</a> <a href="#">18/18</a>	64.5 GB	<a href="#">Show details</a>						
	<b>3DEXPERIENCE Unified Connector for CATIA V5-6R2015 to V5-6R2017</b> - 3DEXPERIENCE R2023x Golden - AIOS <a href="#">1/1</a>	545 MB	<a href="#">Show details</a>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th>Type</th></tr> <tr><td>Program Directory</td></tr> <tr><td>Software</td><td style="text-align: right;">3</td></tr> <tr><td>Documentation</td></tr> </table>	Type	Program Directory	Software	3	Documentation
Type									
Program Directory									
Software	3								
Documentation									
	<b>Dassault Systèmes License Server (DSLS)</b> - 3DEXPERIENCE R2023x Golden - AIOS <a href="#">1/1</a>	84 MB	<a href="#">Show details</a>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th>Operating System</th></tr> <tr><td>Multiple OS</td><td style="text-align: right;">3</td></tr> </table>	Operating System	Multiple OS	3		
Operating System									
Multiple OS	3								

NOTE: The easiest way to narrow down the DSLS download is to filter the results by **Operating System > Multiple OS**

6. Unzip the DSLS.ALLOS.zip file and run "SetupDSLS.EXE" as administrator.




7. This document assumes default settings and locations. Select "Next."






HAWK RIDGE SYSTEMS

- For easy administration control, select "Install License Server and Administration Tool." Select "Next."






NOTE: If installing the DSLS on a server that has previously acted as a DS server, select "Install Server from scratch". This option will delete any previous license keys. Creating a backup of the keys will allow them to be re-applied after installation.



9. Select "Enroll a License File" and browse to the license provided. If you don't have your license file, contact [support@hawkridgesys.com](mailto:support@hawkridgesys.com) and [provide the Target ID](#).







HAWK RIDGE SYSTEMS

10. Add the default Administration Port number 4084 and Licensing Port number 4085. We recommend leaving these at their default setting, but they may need to be adjusted depending on the server environment.

The screenshot shows the 'DS License Server' installation wizard window. The title bar reads 'DS License Server'. The main heading is 'Installing DS License Server' with a sub-instruction 'Choose appropriate values.' and a circular icon with '30' and 'V.R'. The 'Installation Folder:' section has a text box containing 'C:\Program Files\Dassault Systemes\DS License Server\' and a 'Browse...' button. Below this are three radio button options: 'Install only Administration Tool.', 'Install Licence Server and Administration Tool.' (which is selected), and 'Install Server from scratch. WARNING: All license keys will be deleted.' There are two checked checkboxes: 'Enroll a License File.' and 'Install Server from scratch. WARNING: All license keys will be deleted.' Below the checkboxes is a text box with the license key 'C:\ProgramData\DassaultSystemes\Licenses\UAG-42A4147B09A1ED89\_3DAE' and a 'Browse...' button. At the bottom, there are three input fields: 'Administration Port:' with '4084', 'Licensing Port:' with '4085', and a 'Cancel' button. At the very bottom of the window are 'Back', 'Next', and 'Cancel' buttons.

11. The DSLS is ready to be installed. Select "Install."




## DS License Administration Tool Setup


Here, you will be connecting the LS License Administration Tool to the DSLS and enrolling the CATIA V5 license file. Once the DSLS license Administration Tool is installed the software will automatically open.

To connect LS License Administration Tool to the DSLS and enroll the CATIA V5 license file, follow the instructions below:

1. By default, "localhost" server should be available in the server list.
  - a. If current server(s) need to be removed, or no servers are available, right-click in this field and select "Add new server".




- b. In the license server name, type "localhost" without the quotation marks and select OK.







2. Create a text file for the License Administration Tool to point to for identification of where the server is located. For this situation both tools are installed on the same computer so we will create an identification file that points to the current computer "localhost:4085".
  - a. In windows explorer navigate to C:\ProgramData\DassaultSystemes




- b. Create a new folder named "Licenses"




- c. Navigate to the new folder "Licenses" and create a new text file by right-clicking and selecting "New>Text Document". Rename this document "DSLicSrv.txt"



- d. Right-click the DSLicSrv.txt file and choose "Open with" and choose "Notepad".




- e. Enter the text file "localhost:4085" close and save. This will point the License Server Administration tool to the DSLS.






**HAWK RIDGE SYSTEMS**


- To point to the CATIA V5 license file, place the license file in the same locations as the DSLicSRV.txt location "C:\ProgramData\DassaultSystemes\Licenses".




- In the License Administration Tool, right-click "localhost" and select "Connect".



- Select "License > Enroll"



6. Navigate to the location of the license file "C:\ProgramData\DassaultSystemes\Licenses"
7. Select the license file and click "Open".





The license server is now up and running and ready for the CATIA V5 connection.

# CATIA V5 PLM Express Installation

**This section will walk you through installing CATIA V5 PLM Express.**



1. Unzip the two downloaded CATIA V5 packages (1-2.zip and 2-2.zip) into one folder for a successful installation.
  - a. Place both packages in the same folder. This folder can be located anywhere on your PC.
  - b. Create a new folder in this directory and name it "CATIA Install Files".
  - c. Right-click package 1-2 and select "Extract All" and extract to the newly created folder "CATIA Install Files". Repeat the extraction for package 2-2 directly into "CATIA Install Files" and both packages will compile automatically.






HAWK RIDGE SYSTEMS


- When executed correctly, there will be a single folder located in the "CATIA Install Files" labeled "CATIA\_PLM\_Express.win\_b64". Enter this folder, right-click "stetup.exe" and "Run as administrator" to launch CATIA V5 PLM Express.




3. To begin the installation process, select "Next" on the Welcome page.




4. Add the destination folder. We recommend using the default destination folder below. Select "Next."



5. Select "Yes" to create the directory.





6. For the selected downloaded files, we will use "Complete" for the installation, but you may choose "Custom" if another file set was used for this installation.





7. We recommend using the default ports for Orbix. However, these can be adjusted by IT if necessary.







**HAWK RIDGE SYSTEMS**

8. The next step will prompt to install the ENOVIA Vault Client. In most situations, the ENOVIA client isn't needed, and this step can be skipped.



If that isn't the case, please contact us at [support@hawkridgesys.com](mailto:support@hawkridgesys.com).




9. We recommend using the default ports. However, these can be adjusted by IT if necessary.



10. This step will install the documentation. You will need to access the documentation zip that was downloaded from the previous steps.
  - a. To extract the documentation needed for the next step, right-click the documentation zip and select "Extract All".



11. Click the box next to "I want to install Online Documentation" and verify the documentation zip is assessable and unzipped prior to selecting "Next".







HAWK RIDGE SYSTEMS



12. Return to the CATIA V5 installer and select "Next". The installation will proceed forward and then it will prompt for the location of where the documentation files were unpacked.

CATIA PLM Express V5-6R2022 Setup : 36 %








13. Select "Browse" and navigate to where the documentation files were extracted, select "Select Folder".




14. Select "Next" to continue once the installation is complete.




15. Select "Next" if CATIA PLM Express is not installed. Otherwise, select "CATIA PLM Express is installed" and browse to its installation folder.




16. Select all available documentation options and select "Next".



17. Review or change any settings, if necessary, by selecting "Back."  
When ready to continue, select "Install."




18. Select "Finish."






19. At the end of the installation process there will be an option to launch CATIA V5 PLM Express. Choose this option and select "Finish."




20. Windows Defender, if used, will pop-up and require verification for Public and Private networks. We recommend accepting both networks before continuing, so that regardless of the network, CATIA V5 will run. Once the settings are checked, select "Allow access."



21. On first launch, CATIA will need to be connected to the server and configurations/products will need to be selected.

This will require a restart of the software. Selecting "Active Server" will allow for connection to the DSLS.



22. CATIA V5 PLM Express is now installed and active.

